

Attorney's Docket No.: 10559/008001/P6721

B  
A' C1  
encoding a computer network address for a second network different from the first network into an encoded network address and sending the encoded network address across the first network; and

using said network address that is sent over said first network to establish a network connection on said second network.

11. A method of establishing a network connection, the method comprising:

A2  
establishing a first connection across a voice telephone network between a first location and a second location;

B3  
encoding a computer network address for a specified computer network different from the voice telephone network, into an encoded network address and sending the encoded network address across the voice telephone network from the first location to the second location; and

establishing a second connection between the first location and the second location across the computer network using the computer network address sent across the telephone network.

12. A method of establishing a network connection, the method comprising:

Attorney's Docket No.: 10559/008001/P6721

establishing a first connection across a voice telephone network between a first location and a second location;

receiving an encoded network address at said second location, from the voice telephone network for a computer network that is different than the voice telephone network;

translating the encoded network address to a computer network address; and

establishing a second connection between the first location and the second location across the computer network using the computer network address received from said voice telephone network.

13. A computer program stored on a computer-readable medium, for establishing a network connection, the computer program including instructions operable to cause a computer to:

obtain a computer network address for a computer network;

send the computer network address across a second network different than the computer network; and

receive a network connection request to establish a network connection across the computer network, and using the computer network address sent across the second network to establish the network connection sent over the second network.

Attorney's Docket No.: 10559/008001/P6721

BB  
AZ  
14. A computer program stored on a computer-readable medium, for establishing a network connection, the computer program including instructions operable to cause a computer to:  
    encode a computer network address for a specified computer network different from a communications network that carries audio signals into an encoded network address and send the encoded network address across the communications network; and  
    use said computer network address to establish a network connection on said computer network based on said computer network address sent over the communications network.

---